

Amendments to the Claims:

This listing of claims will replace all prior versions , and listings, of claims in the application.

5

Listing of Claims:

1. (previously presented) A rubber composition consisting essentially of a rubber component, polybutene and white carbon.

10

2. (original) A rubber composition as defined in Claim 1 further comprising a silane coupler.

15

3. (original) A rubber composition as defined in Claim 1 further comprising a clay.

4. (original) A rubber composition as defined in Claim 1, comprising adding 5 ~ 60 parts by weight of polybutene and 5 ~ 100 parts by weight of white carbon to 100 parts by weight of the rubber component and mixing them.

20

5. (original) A rubber composition as defined in Claim 4 comprising further adding 0.5 ~ 8 parts by weight of silane coupler and mixing it.

25

6. (original) A rubber composition as defined in Claim 4 comprising further adding 5 ~ 100 parts by weight of clay and mixing it.

7. (original) A rubber composition as defined in Claim 1, wherein said rubber composition has a shape of a water supply pipe.

30

8. (original) A rubber composition as defined in Claim 1, wherein said rubber composition has a shape of a part of a water supply pipe.

9. (withdrawn) A rubber manufactured from a rubber composition as defined in any of Claims 1 through 6.

5 10. (withdrawn) A part for a water supply pipe manufactured using a rubber composition described in Claim 1.

10 11. (previously presented) A rubber composition as defined in claim 2, wherein the silane coupler comprises -glycidoxypopyl trialkoxysilane wherein each of the alkoxy radical is same or different and contains carbon atoms of 1 to 3.

12. (withdrawn) A water piping comprising a rubber composition consisting essentially of a rubber component, polybutene and white carbon.

15 13. (currently amended) A rubber composition as defined in claim 1, wherein the rubber component comprises isoprene rubber, 1,2-polybutadiene, chloroprene rubber, butyl rubber, styrene-butadiene rubber, nitrile rubber, ethylene-propylene rubber, chlorosulfonated polyethylene, epichlorohydrine rubber, acryl rubber, fluorinated rubber, chlorinated butyl rubber, or brominated butyl rubber, ~~or a combination thereof.~~